

()

INTERSTATE COUNCIL FOR STANDARDIZATION, METROLOGY AND CERTIFICATION
(ISC)

**4013—
2019**



2019

1.0 «
 1.2 «
 1 «
 (« »)
 2 144 «
 3 (28 2019 . 55)
 :

(3166)004—97	(3166> 004—97	
	BY KG RU TJ UZ	

4
 12 2019 . 1106- 4013—2019
 1 2020 .
 5 4013—82

()

, , , , -
-
-
-
« »



© , 2019

1	1
2	1
3	1
4	2
5	2
6	3
7	4

Gypsum and gypsum-anhydrite nock for the manufacture of binders. Specifications

— 2020—06—01

1

2

8

:
5382
8613
9147
25336

30108

OIML R 76-1

1.

(www.easc.by)

3

3.1

3.2

1.

— (SO₃).
3.3

1

	. %.		. %.	
	(CaSO ₄ ·2H ₂ O)		(CaSO ₄ ·2 H ₂ O)	(SO ₃)
1	95	19.9	95	44.2
2	90	18.8	90	41.9
3	80	16.7	80	37.2
4	70	14.6	—	—

3.4

• 60—300* —
- 0—60* —

300 .
3.5 60—300 60
5 % 300 — 15 % 350 .
3.6 0—60 60 5 %
0—5 0—5 30 % 30 % 40 %

4

— 740 / . 370 / .

5

5.1

5.2

5.3

• 1000 —
- 2000 —

1000000 ;
1000000 .

5.4

5.5

5.6

5.7

5.8

10

10

5.9

- 10 —
- 300 —

60 ;
300 .

6

6.1

5.8,

6.2

6.2.1

-
-
-

OIML R 76*1

1 ;

5 60 ;
30011 .

6.2.2

300).

60)

(

(

100

300

5

60

300

60—300

60 .
30011 .

.%.

300 ± 1

300

60

$$X, \llcorner \frac{L}{G} - 100.$$

(1)

G, —

G—

60

0—5

2

5

$$\frac{G_2}{G_1} \cdot 100$$

(2)

G₂ —

G, —

5 . . :
60 . . .

0—5
1 %
1 %
6.3 (CaSO₄ · 2 H₂O)
6.3.1 200 6613. 0.0001
9147.
6.3.2 25336. 10
100
200
100
2
(400 ± 15)
0.0002
G. %

$$G = \frac{m - m_1}{m_2} \cdot 100 \quad (3)$$

/, —
(CaSO₄ · 2 H₂O)
CaSO₄ · 2 H₂O = 4.7785 · G. (4)

4,7785 —
6.4 (SO₃) 5382.
CaSO₄ · 2 H₂O

CaSO₄ · 2 H₂O = 2,15 SO₃. (5)

SO₃ — SO₃ 5382;
2,15 —
6.5
30108.

7

7.1

7.2


- ;
- ;
- ;
« , ;
- , ;
• ;
• ;

7.3

- , - ,

7.4

- .



4013—2019

691.311:006.354

91.100.10

:

,

,

,

5—2019/64

14.11.2019.

12.12.2019.

80*84 Vg.

. . t.40.

- . . 1.19.

« . . »

. 117418 .

- . . 31. . 2.

www.gostinfo.ru info@gostinfo.ru

